

Seattle "Qualified" Mixed Waste Recyclers and Disposal Facilities							Required Construction Materials for Recycling (Contact facilities for specifications)												
3/6/18 Update																			
	Seattle Certified	Regulatory Compliant	Reporting Compliant	Residual Compliant	4th Quarter 2017 Diversion Rate Estimate*	2017 Ave Annual Diversion Rate	Asphalt Paving	Asphalt Roofing Shingles	Brick	Carpet	Concrete and Rock	Drywall	Ferrous/ Nonferrous Metals	OCC	Pallets	Plastic Film	Wood	CDWaste for Disposal	
MIXED WASTE RECYCLERS	Health, Landuse, Flow Control			2017 Samplings		averaged over 4 quarters													
United Recycling Seattle, 74 S. Hudson Street, Seattle (360) 668-4300	TBD - needs standardized reporting	Yes	Not using standardized reporting form	Yes	62% with soils and 46% if soils not included	Can't Calculate	*	* incidental	*		*	*	*	*	*	*	*		
DTG Renton (formerly DRS Renton) , 701 SW 34th Street, Renton (425) 251-1612	Yes	Yes	Yes	Yes	55%	42%	*		*	*	*	*	*	*	*	*	*		
Maltby Container and Recycling 20225 Broadway Ave, Snohomish (360) 668-9841	Yes	Yes	Yes	Yes	60%	73%	*				*	*	*	*	*		*		
Facilities with On-Site Processing & Storage*	* Quarterly or annual rates more accurate due to timing of shipments to end markets																		
United Recycling & Container 18827 Yew Way, Snohomish - (360) 668-4300	TBD - needs standardized reporting	Yes	Not using standardized reporting form	Yes	85% with soils and 76% if soils not included	Can't Calculate	*	* limits	*		*	*	*	*	*		*	*	
Recovery 1, Inc. 1805 Stewart Street, Tacoma - (253) 627-1180	Yes	Yes	Yes	Yes	95%	76%	*		*	*	*	*	*	*	*	*	*		
Transload Facilities for Recycling	Both transload material to DTG-Renton for sorting - their diversion rate includes DTG-Renton diversion rate applied to transloaded tons																		
DTG Maltby (formerly DTG - Bobby Wolford) 8624 219th St SE, Woodinville (425) 481-1800	Yes	Yes	Yes	N/A	63%	55%	*				*	*	*	*	*		*		
DTG Woodinville (formerly DRS Woodinville) , 5906 238th St SE, Woodinville, (425) 245-8015	Yes	Yes	Yes	Yes	58%	54%	*				*	*	*	*	*		*		
Mixed Construction - No Demo																			
Alpine Recycling 3504 112th Street E., Tacoma (253) 531-2127	Yes	Yes	Yes	Yes	52%	57%	*		*		*		*	*	*		*	*	
SOLID WASTE TRANSFER STATIONS	Need to inform customers if they do not divert targeted materials banned from landfill disposal to recycling																		
City of Seattle North Transfer Station 1350 N 34th Street, Seattle	N/A	Yes	Yes	N/A	source separated recycling - no large loads of C&D								*	*	*		*	*	
City of Seattle South Transfer Station 130 South Kenyon Street, Seattle (206) 684-3000	N/A	Yes	Yes	N/A	source separated recycling - no large loads of C&D								*	*	*		*	*	
Black River Transfer Station - Republic 501 Monster Road SW, Renton - (425) 235-0269	N/A	Yes	Yes	N/A	3% facility wide-sort line operated sporadically			*			*	*					*	*	
Third & Lander Transfer Station - Republic 2733 3rd AVE S. Seattle - (206) 332-7700	N/A	Yes	Yes	N/A	0% facility wide - may not be accepting large loads of C&D													*	
Waste Management Eastmont Transfer Station 7201 W Marginal Way SW, Seattle (866) 962-9253	N/A	Yes	Yes	N/A	Transloads mixed C&D to DTG-Renton - 2% diversion on site			*			*	*					*	*	
Waste Management Cascade Recycling, 14020 NE 190th Street, Woodinville	N/A	Yes	Yes	N/A	0%													*	
Waste Management RNW Transfer Station, 701 2nd Street NW, Auburn	N/A	Yes	Yes	N/A	0%													*	
*Mixed Waste C&D Recyclers Certification includes: 1) Solid Waste Permit from local Health Department 2) Compliance with local flow control requirements 3) Standardized monthly reports to Seattle and King County do not include soils in diversion rate starting 4th quarter 2017 4) Residual sampling -no more than 10% of targeted construction materials to landfill disposal							* Required diversion of tear-off asphalt shingles, carpet and plastic film wrap proposed delay until July 2020 Diversion = Recycling and Beneficial Use (clean wood to pulp & paper mills to be used as boiler fuel) Landfill = direct disposal, Alternative Daily Cover (ADC) & disposed residuals from sorting												